


# AVR® STK500

## Starter Kit and Development System

### THE EASIEST WAY TO GET STARTED WITH AVR

The Atmel® AVR STK500 is a starter kit and development system for Atmel's AVR® Flash microcontrollers. The STK500 gives designers a quick start to develop code on the AVR, combined with features for developing prototypes and testing new designs. The STK500 interfaces AVR Studio®, Atmel's Integrated Development Environment (IDE) for code writing and debugging.



- AVR Studio Operated
- Serial In-System Programming
- In-System Programming in External Target Systems
- Parallel and Serial High-voltage Programming
- RS-232 Interface to PC
- Sockets for 8-, 20-, 28-, and 40-pin AVR Devices
- Flexible Clocking, Voltage and Reset System
- LEDs and Push Buttons for Experimentation
- All AVR I/O Ports Easily Accessible through Pin Header Connectors
- Spare RS-232 Driver and Connector
- Upgrades are done from AVR Studio
- Expansion Connectors for Plug-in Modules and Prototype Areas
- Target Voltage 1.8 – 6.0V
- Supply Voltage 9 – 12V

**Corporate Headquarters**

2325 Orchard Parkway  
 San Jose, CA 95131  
 USA  
 TEL: (1)(408) 441-0311  
 FAX: (1)(408) 487-2600

**Europe**

Atmel Sarl  
 Route des Arsenalux 41  
 Case Postale 80  
 CH-1705 Fribourg  
 Switzerland  
 TEL: (41) 26-426-5555  
 FAX: (41) 26-426-5500

**Asia**

Room 1219  
 Chinachem Golden Plaza  
 77 Mody Road Tsimshatsui  
 East Kowloon  
 Hong Kong  
 TEL: (852) 2721-9778  
 FAX: (852) 2722-1369

**Japan**

9F, Tonetsu Shinkawa Bldg.  
 1-24-8 Shinkawa  
 Chuo-ku, Tokyo 104-0033  
 Japan  
 TEL: (81) 3-3523-3551  
 FAX: (81) 3-3523-7581

**e-mail**

literature@atmel.com

**Web Site**

http://www.atmel.com



©Atmel Corporation, 2002  
 Atmel Corporation makes no warranty for the use of its products, other than those expressly contained in the Company's standard warranty which is detailed in Atmel's Terms and Conditions located on the Company's web site. The Company assumes no responsibility for any errors which may appear in this document, reserves the right to change devices or specifications detailed herein at any time without notice, and does not make any commitment to update the information contained herein. No licenses to patents or other intellectual property of Atmel are granted by the Company in connection with the sale of Atmel products, expressly or by implication. Atmel's products are not authorized for use as critical components in life support devices or systems. Atmel®, AVR® and AVR Studio® are registered trademarks of Atmel. Other terms and product names may be the trademarks of others.


The STK500 is a complete starter kit, programming tool and development system for Atmel's AVR microcontrollers. The STK500 gives AVR users the freedom to develop and test complete AVR designs and prototypes.

The STK500 supports all Programming modes of all AVR microcontrollers in the sockets as well as ISP Programming of external target systems. The AVR I/O ports are accessible on pin headers that can be used for connecting the on-board LEDs and push buttons, or external signals. The extra RS-232 port can be connected to any of the I/O pins.

The STK500 Programming interface is integrated in AVR Studio. The Flash, EEPROM, and all Fuse and Lock Bit options can be programmed individually or with the sequential automatic programming option. The AVR clock frequency and supply voltage can also be controlled from AVR Studio.

A DOS Programming software is included for efficient batch programming in a production environment.

The active simulator or emulator code in AVR Studio can easily be programmed into the STK500 with one click of the mouse.



**Supported Devices<sup>(4)</sup>**

|           |           |                          |                          |
|-----------|-----------|--------------------------|--------------------------|
| ATtiny11  | AT90S2323 | ATmega8                  | ATmega323                |
| ATtiny12  | AT90S2333 | ATmega8515               | ATmega32                 |
| ATtiny15  | AT90S2343 | ATmega8535               | ATmega64 <sup>(1)</sup>  |
| ATtiny22  | AT90S4414 | ATmega161                | ATmega103 <sup>(1)</sup> |
| ATtiny26  | AT90S4433 | ATmega162                | ATmega128 <sup>(1)</sup> |
| ATtiny28  | AT90S4434 | ATmega163                | AT89951 <sup>(3)</sup>   |
| AT90S1200 | AT90S8515 | ATmega16                 | AT89952 <sup>(3)</sup>   |
| AT90S2313 | AT90S8535 | ATmega169 <sup>(2)</sup> | AT86RF401 <sup>(3)</sup> |

- Notes
- 1: The device is supported through ISP Programming of external target or through the STK501 expansion module.
  - 2: The device is supported through ISP Programming of external target or through the STK502 expansion module.
  - 3: The device is supported through ISP Programming of external target.
  - 4: Low power versions are also supported.

**Ordering Information**

The STK500 is available from Atmel franchised distributors.

The ordering code is **ATSTK500**

The latest version of AVR Studio is available free of charge from the Atmel web site: [www.atmel.com](http://www.atmel.com)

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Atmel:](#)

[ATSTK500](#)